

## Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

## Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5B: Colo-----	60	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ackmore-----	30	Very limited Frost action Flooding Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 0.50 0.19	Very limited Depth to saturated zone Flooding	1.00 0.60	Somewhat limited Flooding Depth to saturated zone	0.60 0.19
8B: Judson-----	90	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.16	Not limited	
8C: Judson-----	100	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.16	Not limited	
24D: Shelby-----	90	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63
24D2: Shelby-----	90	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24E: Shelby-----	90	Very limited Slope Low strength  Shrink-swell Frost action	 1.00 1.00  0.50 0.50	Very limited Slope Depth to saturated zone	 1.00 0.16	Very limited Slope	 1.00
24E2: Shelby-----	90	Very limited Slope Low strength  Shrink-swell Frost action	 1.00 1.00  0.50 0.50	Very limited Slope Depth to saturated zone	 1.00 0.16	Very limited Slope	 1.00
51: Vesser-----	95	Very limited Frost action  Flooding  Low strength Shrink-swell Depth to saturated zone	 1.00  1.00  1.00 0.50 0.19	Very limited Depth to saturated zone Flooding	 1.00 0.60	Somewhat limited Flooding  Depth to saturated zone	 0.60  0.19
51+: Vesser-----	95	Very limited Frost action  Flooding  Low strength Shrink-swell Depth to saturated zone	 1.00  1.00  1.00 0.50 0.19	Very limited Depth to saturated zone Flooding	 1.00 0.60	Somewhat limited Flooding  Depth to saturated zone	 0.60  0.19
51B: Vesser-----	90	Very limited Frost action  Low strength Shrink-swell Depth to saturated zone	 1.00  1.00 0.50 0.19	Very limited Depth to saturated zone	 1.00	Somewhat limited Depth to saturated zone	 0.19

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
51B+: Vesser-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	0.19
		Low strength	1.00				
		Shrink-swell	0.50				
		Depth to saturated zone	0.19				
69C: Clearfield-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.12		
		Shrink-swell	1.00				
		Depth to saturated zone	0.19				
69C2: Clearfield-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.12		
		Shrink-swell	1.00				
		Depth to saturated zone	0.19				
76C: Ladoga-----	100	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
76C2: Ladoga-----	90	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
76D: Ladoga-----	95	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.15	Somewhat limited Slope	0.63
76D2: Ladoga-----	90	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.15	Somewhat limited Slope	0.63
88: Nevin-----	95	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone	0.95	Not limited	
93D: Shelby-----	60	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63
Adair-----	30	Very limited Frost action Low strength Shrink-swell Slope Depth to saturated zone	1.00 1.00 1.00 0.63 0.19	Very limited Depth to saturated zone Slope Too clayey	1.00 0.63 0.41	Somewhat limited Slope Depth to saturated zone	0.63 0.19

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93D2: Shelby-----	60	Very limited Low strength Slope Shrink-swell Frost action	 1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	 0.63 0.16	Somewhat limited Slope	 0.63
Adair-----	30	Very limited Frost action Low strength Shrink-swell Slope Depth to saturated zone	 1.00 1.00 1.00 0.63 0.19	Very limited Depth to saturated zone Slope Too clayey	 1.00 0.63 0.41	Somewhat limited Slope Depth to saturated zone	 0.63 0.19
133: Colo-----	100	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	 1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding	 1.00 0.60	Very limited Depth to saturated zone Flooding	 1.00 0.60
133+: Colo-----	90	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	 1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding	 1.00 0.60	Very limited Depth to saturated zone Flooding	 1.00 0.60
133B: Colo-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	 1.00	Very limited Depth to saturated zone	 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
133B+: Colo-----	100	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Flooding	1.00 1.00 0.60
172: Wabash-----	95	Very limited Shrink-swell Depth to saturated zone Flooding Low strength Frost action	1.00 1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Too clayey	1.00 1.00 0.60 0.50	Very limited Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
179D: Gara-----	90	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63
179D2: Gara-----	90	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63
179E: Gara-----	90	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Depth to saturated zone	1.00 0.16	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179E2: Gara-----	90	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Depth to saturated zone	1.00 0.16	Very limited Slope	1.00
179F: Gara-----	100	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Depth to saturated zone	1.00 0.16	Very limited Slope	1.00
179F2: Gara-----	100	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Depth to saturated zone	1.00 0.16	Very limited Slope	1.00
192C: Adair-----	100	Very limited Frost action Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.19	Very limited Depth to saturated zone Too clayey	1.00 0.41	Somewhat limited Depth to saturated zone	0.19
192C2: Adair-----	100	Very limited Frost action Low strength Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.19	Very limited Depth to saturated zone Too clayey	1.00 0.41	Somewhat limited Depth to saturated zone	0.19

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
192D: Adair-----	100	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Low strength	1.00	Slope	0.63	Depth to saturated zone	0.19
		Shrink-swell Slope	1.00 0.63	Too clayey	0.41		
		Depth to saturated zone	0.19				
192D2: Adair-----	100	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Low strength	1.00	Slope	0.63	Depth to saturated zone	0.19
		Shrink-swell Slope	1.00 0.63	Too clayey	0.41		
		Depth to saturated zone	0.19				
212: Kennebec-----	90	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60		
		Low strength	1.00				
		Shrink-swell	0.50				
220: Nodaway-----	95	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60		
		Low strength	1.00				
		Shrink-swell	0.50				
222C: Clarinda-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.50		
		Shrink-swell	1.00				
		Depth to saturated zone	0.19				



Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
222C2: Clarinda-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.50		
		Shrink-swell	1.00				
		Depth to saturated zone	0.19				
222D2: Clarinda-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Low strength	1.00	Slope	0.63	Depth to saturated zone	0.19
		Shrink-swell	1.00	Too clayey	0.50		
		Slope	0.63				
		Depth to saturated zone	0.19				
248: Wabash-----	100	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Flooding	0.60	Flooding	0.60
		Flooding	1.00	Too clayey	0.50		
		Low strength	1.00				
		Frost action	0.50				
248+: Wabash-----	90	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Flooding	0.60	Flooding	0.60
		Flooding	1.00	Too clayey	0.50		
		Low strength	1.00				
		Frost action	0.50				

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
269: Humeston-----	90	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.60	Very limited Depth to saturated zone Flooding	1.00 0.60
269+: Humeston-----	90	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.60	Very limited Depth to saturated zone Flooding	1.00 0.60
273B: Olmitz-----	90	Very limited Low strength  Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Depth to saturated zone	0.16	Not limited	
273C: Olmitz-----	95	Very limited Low strength  Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Depth to saturated zone	0.16	Not limited	
286B: Colo-----	45	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Judson-----	30	Very limited Frost action  Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.16	Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Nodaway-----	25	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60		
		Low strength	1.00				
		Shrink-swell	0.50				
368: Macksburg-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
		Low strength	1.00				
		Shrink-swell	1.00				
368B: Macksburg-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
		Low strength	1.00				
		Shrink-swell	1.00				
369: Winterset-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Frost action	1.00				
		Low strength	1.00				
		Shrink-swell	1.00				
370B: Sharpsburg-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				
370C: Sharpsburg-----	95	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
370C2: Sharpsburg-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				
370D: Sharpsburg-----	95	Very limited Frost action	1.00	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
		Low strength	1.00	Depth to saturated zone	0.15		
		Slope	0.63				
		Shrink-swell	0.50				
370D2: Sharpsburg-----	100	Very limited Frost action	1.00	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
		Low strength	1.00	Depth to saturated zone	0.15		
		Slope	0.63				
		Shrink-swell	0.50				
423C2: Bucknell-----	95	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Shrink-swell	1.00	Too clayey	0.08		
		Frost action	0.50				
		Depth to saturated zone	0.19				
423D2: Bucknell-----	95	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Shrink-swell	1.00	Slope	0.63	Depth to saturated zone	0.19
		Slope	0.63	Too clayey	0.08		
		Frost action	0.50				
		Depth to saturated zone	0.19				

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
428B: Ely-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
		Low strength Shrink-swell	1.00 0.50				
430: Ackmore-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Flooding	0.60
		Flooding	1.00	Flooding	0.60	Depth to saturated zone	0.19
		Low strength Shrink-swell Depth to saturated zone	1.00 0.50 0.19				
452C: Lineville-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength Shrink-swell Depth to saturated zone	1.00 0.50 0.19				
452C2: Lineville-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength Shrink-swell Depth to saturated zone	1.00 0.50 0.19				
470D: Lamoni-----	70	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Shrink-swell	1.00	Slope	0.63	Depth to saturated zone	0.19
		Slope Frost action Depth to saturated zone	0.63 0.50 0.19	Too clayey	0.08		

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Shelby-----	30	Very limited Low strength Slope	1.00 0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63
		Shrink-swell Frost action	0.50 0.50				
470D2: Lamoni-----	65	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Shrink-swell	1.00	Slope	0.63	Depth to saturated zone	0.19
		Slope Frost action Depth to saturated zone	0.63 0.50 0.19	Too clayey	0.08		
Shelby-----	30	Very limited Low strength Slope	1.00 0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63
		Shrink-swell Frost action	0.50 0.50				
570C: Nira-----	90	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength Shrink-swell	1.00 0.50				
570C2: Nira-----	90	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength Shrink-swell	1.00 0.50				
570D: Nira-----	90	Very limited Frost action Low strength	1.00 1.00	Somewhat limited Slope Depth to saturated zone	0.63 0.15	Somewhat limited Slope	0.63
		Slope Shrink-swell	0.63 0.50				

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
570D2: Nira-----	90	Very limited Frost action Low strength  Slope Shrink-swell	 1.00 1.00  0.63 0.50	Somewhat limited Slope Depth to saturated zone	 0.63 0.15	Somewhat limited Slope	 0.63
592C: Mystic-----	95	Very limited Frost action  Low strength Shrink-swell	 1.00  1.00 1.00	Somewhat limited Depth to saturated zone	 0.61	Not limited	
592C2: Mystic-----	95	Very limited Frost action  Low strength Shrink-swell	 1.00  1.00 1.00	Somewhat limited Depth to saturated zone	 0.61	Not limited	
592D: Mystic-----	90	Very limited Frost action Low strength  Shrink-swell Slope	 1.00 1.00  1.00 0.63	Somewhat limited Slope Depth to saturated zone	 0.63 0.61	Somewhat limited Slope	 0.63
592D2: Mystic-----	90	Very limited Frost action Low strength  Shrink-swell Slope	 1.00 1.00  1.00 0.63	Somewhat limited Slope Depth to saturated zone	 0.63 0.61	Somewhat limited Slope	 0.63
792C: Armstrong-----	100	Very limited Frost action  Low strength Shrink-swell Depth to saturated zone	 1.00  1.00 1.00 0.19	Very limited Depth to saturated zone Too clayey	 1.00 0.32	Somewhat limited Depth to saturated zone	 0.19

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
792C2: Armstrong-----	100	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.32		
		Shrink-swell	1.00				
		Depth to saturated zone	0.19				
792D: Armstrong-----	100	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Low strength	1.00	Slope	0.63	Depth to saturated zone	0.19
		Shrink-swell	1.00	Too clayey	0.32		
		Slope	0.63				
		Depth to saturated zone	0.19				
792D2: Armstrong-----	100	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Low strength	1.00	Slope	0.63	Depth to saturated zone	0.19
		Shrink-swell	1.00	Too clayey	0.32		
		Slope	0.63				
		Depth to saturated zone	0.19				
822C: Lamoni-----	90	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Shrink-swell	1.00	Too clayey	0.08		
		Frost action	0.50				
		Depth to saturated zone	0.19				



FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
822C2: Lamoni-----	90	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19
		Shrink-swell	1.00	Too clayey	0.08		
		Frost action	0.50				
		Depth to saturated zone	0.19				
822D: Lamoni-----	90	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Shrink-swell	1.00	Slope	0.63	Depth to saturated zone	0.19
		Slope	0.63	Too clayey	0.08		
		Frost action	0.50				
		Depth to saturated zone	0.19				
822D2: Lamoni-----	90	Very limited Low strength	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.63
		Shrink-swell	1.00	Slope	0.63	Depth to saturated zone	0.19
		Slope	0.63	Too clayey	0.08		
		Frost action	0.50				
		Depth to saturated zone	0.19				
870B: Sharpsburg-----	100	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				
870C2: Sharpsburg-----	95	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.15	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
993D: Gara-----	60	Very limited Low strength Slope Shrink-swell Frost action	 1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	 0.63 0.16	Somewhat limited Slope	 0.63
Armstrong-----	40	Very limited Frost action Low strength Shrink-swell Slope Depth to saturated zone	 1.00 1.00 1.00 0.63 0.19	Very limited Depth to saturated zone Slope Too clayey	 1.00 0.63 0.32	Somewhat limited Slope Depth to saturated zone	 0.63 0.19
993D2: Gara-----	55	Very limited Low strength Slope Shrink-swell Frost action	 1.00 0.63 0.50 0.50	Somewhat limited Slope Depth to saturated zone	 0.63 0.16	Somewhat limited Slope	 0.63
Armstrong-----	40	Very limited Frost action Low strength Shrink-swell Slope Depth to saturated zone	 1.00 1.00 1.00 0.63 0.19	Very limited Depth to saturated zone Slope Too clayey	 1.00 0.63 0.32	Somewhat limited Slope Depth to saturated zone	 0.63 0.19
1220: Nodaway-----	90	Very limited Frost action Flooding Low strength Shrink-swell	 1.00 1.00 1.00 0.50	Somewhat limited Flooding Depth to saturated zone	 0.80 0.61	Very limited Flooding	 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1368B: Macksburg-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
		Low strength Shrink-swell	1.00				
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	